

Venue: THEATER FOR THE NEW CITY
Production: REPERTORY PLOT JOHNSON THEATER

Dir:

Dsgnr:

Date: 9/6/2023

Instrument Schedule

Location: Pipe 3

Inst	Type	Watts	Distance	Weight	Chan	Dim	Color	Gobo	Accy	Purpose	Notes
1	Generic Zoom 26° > 30° Enhanced	575	.0 ft	20.0	1					D.S.R. Front	
2	Generic Zoom 26° > 30° Enhanced	575	.0 ft	20.0	1					D.S.R. Front	
3	Generic Zoom 26° > 30° Enhanced	575	.0 ft	20.0	2					D.S.C. Front	
4	Generic Zoom 26° > 30° Enhanced	575	.0 ft	20.0	2					D.S.C. Front	
5	Generic Zoom 26° > 30° Enhanced	575	.0 ft	20.0	3					D.S.L. Front	
6	Generic Zoom 26° > 30° Enhanced	575	.0 ft	20.0	3					D.S.L. Front	

Pipe Weight 5.0
Total Pipe Weight 125.0 lbs
Trim Height: 18.0 ft

Location: Pipe 4

Inst	Type	Watts	Distance	Weight	Chan	Dim	Color	Gobo	Accy	Purpose	Notes
1	Generic Zoom 26° > 30° Enhanced	575	.0 ft	20.0	4					U.S.R. Front	
2	Generic 38 PAR38 VWFL		.0 ft	4.0	43					House Light	
3	Generic Zoom 26° > 30° Enhanced	575	.0 ft	20.0	4					U.S.R. Front	
4	Generic Zoom 26° > 30° Enhanced	575	.0 ft	20.0	5					U.S.C. Front	
5	Generic 38 PAR38 VWFL		.0 ft	4.0	43					House Light	
6	Generic Zoom 26° > 30° Enhanced	575	.0 ft	20.0	5					U.S.C. Front	
7	Generic Zoom 26° > 30° Enhanced	575	.0 ft	20.0	6	11				U.S.L. Front	
8	Generic Zoom 26° > 30° Enhanced	575	.0 ft	20.0	6	11				U.S.L. Front	
9	Generic 38 PAR38 VWFL		.0 ft	4.0	43					House Light	

Pipe Weight 5.0
Total Pipe Weight 137.0 lbs
Trim Height: 18.0 ft

Location: Pipe 9

Inst	Type	Watts	Distance	Weight	Chan	Dim	Color	Gobo	Accy	Purpose	Notes
1	Generic Zoom 36° > 40° Enhanced	575	.0 ft	20.0	45	26				C.S.C Light	
2	Generic 64 PAR64 WFL		.0 ft	13.5	20	20					
3	Generic 64 PAR64 WFL		.0 ft	13.5	23	23					
4	Generic 64 PAR64 WFL		.0 ft	13.5	26	44					

Location: Pipe 9

Inst	Type	Watts	Distance	Weight	Chan	Dim	Color	Gobo	Accy	Purpose	Notes
5	Generic 64 PAR64 WFL		.0 ft	13.5	29	46					
6	Generic 64 PAR64 WFL		.0 ft	13.5	21	21					
7	Generic 64 PAR64 WFL		.0 ft	13.5	24	24					
8	Generic 64 PAR64 WFL		.0 ft	13.5	27	45					
9	Generic 64 PAR64 WFL		.0 ft	13.5	30	48					
10	Generic 64 PAR64 WFL		.0 ft	13.5	22						
11	Generic 64 PAR64 WFL		.0 ft	13.5	25	43					
12	Generic 64 PAR64 WFL		.0 ft	13.5	28	46					
13	Generic 64 PAR64 WFL		.0 ft	13.5	31	49					
14	Generic Zoom 36° > 40° Enhanced	575	.0 ft	20.0	45	26				C.S.C. Light	
Pipe Weight				5.0							
Total Pipe Weight				207.0 lbs							
Trim Height: 18.0 ft											

Location: Pipe 10

Inst	Type	Watts	Distance	Weight	Chan	Dim	Color	Gobo	Accy	Purpose	Notes
59	Generic LED 7 Circuit Fixture		.0 ft	.0	127	0-6				- - - - -	
60	Generic LED 7 Circuit Fixture		.0 ft	.0	124	0-6				- - - - -	
61	Generic LED 7 Circuit Fixture		.0 ft	.0	121	0-6				- - - - -	
62	Generic LED 7 Circuit Fixture		.0 ft	.0	118	0-6				- - - - -	
Pipe Weight				5.0							
Total Pipe Weight				5.0 lbs							
Trim Height: 18.0 ft											

Location: Pipe 12

Inst	Type	Watts	Distance	Weight	Chan	Dim	Color	Gobo	Accy	Purpose	Notes
1	Generic 64 PAR64 WFL		.0 ft	13.5	8	8					
2	Generic 64 PAR64 WFL		.0 ft	13.5	11	15					
3	Generic 64 PAR64 WFL		.0 ft	13.5	14	19					
4	Generic 64 PAR64 WFL		.0 ft	13.5	17	13					
5	Generic 64 PAR64 WFL		.0 ft	13.5	9	7					
6	Generic 64 PAR64 WFL		.0 ft	13.5	12	14					
7	Generic 64 PAR64 WFL		.0 ft	13.5	15	10					
8	Generic 64 PAR64 WFL		.0 ft	13.5	18	18					
9	Generic 64 PAR64 WFL		.0 ft	13.5	10	17					
10	Generic 64 PAR64 WFL		.0 ft	13.5	13	12					
11	Generic 64 PAR64 WFL		.0 ft	13.5	16	16					
12	Generic 64 PAR64 WFL		.0 ft	13.5	19	9					
Pipe Weight				5.0							
Total Pipe Weight				167.0 lbs							
Trim Height: 18.0 ft											

Location: Pipe13

Inst	Type	Watts	Distance	Weight	Chan	Dim	Color	Gobo	Accy	Purpose	Notes
------	------	-------	----------	--------	------	-----	-------	------	------	---------	-------

Location: Pipe13

Inst	Type	Watts	Distance	Weight	Chan	Dim	Color	Gobo	Accy	Purpose	Notes
69	Generic	LED 7 Circuit Fixture	.0 ft	.0	102	0-6				- - - - -	
70	Generic	LED 7 Circuit Fixture	.0 ft	.0	105	0-6				- - - - -	
71	Generic	LED 7 Circuit Fixture	.0 ft	.0	109	0-6				- - - - -	
72	Generic	LED 7 Circuit Fixture	.0 ft	.0	115	0-6				- - - - -	
Pipe Weight				5.0							
Total Pipe Weight				5.0 lbs							
Trim Height: 18.0 ft											

Location: Pipe B

Inst	Type	Watts	Distance	Weight	Chan	Dim	Color	Gobo	Accy	Purpose	Notes
1	Generic Zoom 36° > 40° Enhanced	575	-2.3 ft	20.0	35	53				U.S. Right	
2	Generic Zoom 36° > 40° Enhanced	575	10.1 ft	20.0	32	54				D.S. Right	
Pipe Weight				5.0							
Total Pipe Weight				45.0 lbs							
Trim Height: 18.0 ft											

Location: Pipe C

Inst	Type	Watts	Distance	Weight	Chan	Dim	Color	Gobo	Accy	Purpose	Notes
1	Generic Zoom 36° > 40° Enhanced	575	-2.4 ft	20.0	44	30				U.S. Center	
2	Generic Zoom 36° > 40° Enhanced	575	10.2 ft	20.0	33	51				D.S. Center	
Pipe Weight				5.0							
Total Pipe Weight				45.0 lbs							
Trim Height: 18.0 ft											

Location: Pipe D

[illegible]

Location: Pipe E

Inst	Type	Watts	Distance	Weight	Chan	Dim	Color	Gobo	Accy	Purpose	Notes
1	Generic Zoom 36° > 40° Enhanced	575	-2.3 ft	20.0	44	30				U.S. Center	
2	Generic Zoom 36° > 40° Enhanced	575	10.3 ft	20.0	33	51				D.S. Center	
Pipe Weight				5.0							
Total Pipe Weight				45.0 lbs							
Trim Height: 18.0 ft											

Location: Pipe F

Inst	Type	Watts	Distance	Weight	Chan	Dim	Color	Gobo	Accy	Purpose	Notes
1	Generic Zoom 36° > 40° Enhanced	575	-1.8 ft	20.0	37	25				U.S. Left	
2	Generic Zoom 36° > 40° Enhanced	575	10.6 ft	20.0	34	52				D.S. Left	

Pipe Weight

5

Total Pipe Weight

45.0 lbs

Trim Height: 18.0 ft

Note: Dimmer/DMX column format is (DMXBUS).(Start DMX Address)-(End DMX Address)

Note: Gobo column format is Gate1/Gate2[Rotator1/Rotator2]

End of Report